APPLICATION FOR PERMIT

TO APPROPRIATE THE PUBLIC WATERS OF THE STATE OF NEVADA

Date	ate of filing in State Engineer's Office		
Retu	eturned to applicant for correction		
Corr	orrected application filedSEP 2 0 1977		
Мар	ap filed SEP 2 0 1977 under 32555		
	The state of the s		
	The applicant Harry J. Williams		
	P.O. Box 3502 , of Reno Street and No. or P.O. Box No. City or Town		
	Nevada 89505 , hereby make application for permission to appropriate the State and Zip Code No.		
wate	aters of the State of Nevada, as hereinafter stated. (If applicant is a corporation, give date and place of inc	orpora-	
tion;	on; if a copartnership or association, give names of members.)		
1.	1. The source of the proposed appropriation is underground Name of stream, lake or other source.		
	Name of stream, take of other source.		
2.	2. The amount of water applied for is One second-foot equals 448.83 gals. per min.	nd-feet	
	(a) If stored in reservoir give number of acre-feeta		
3.	3. The water to be used for Quasi-Municipal & Domestic Irrigation, power, mining, manufacturing, domestic, or other use.		
	4. If use is for:		
	(a) Irrigation (state number of acres to be irrigated)	•••	
	(b) Stockwater (state number and kinds of animals to be watered)		
	(c) Other use (describe fully under "No. 12. Remarks"). Quasi-Municipal & Domestic.		
	(d) Power:		
	(1) Horsepower developed		
	(2) Point of return of water to stream		
5	5. The water is to be diverted from its source at the following point: SWINE Section 7. T.20		
	R. 20E., MDM. The northwest corner of Section 7 bears north 59		
	Describe as being within a 40-acre subdivision of public survey, and by course and distance to a section corner. If on unsurveyed la grees 05' west, 3800 feet from the well site.	nd,	
	it should be stated. 5. Place of use S NE & N SE SE Section 6, T. 20N., R. 20E., MDM.		
	Describe by legal subdivision, if on unsurveyed land it should be so stated.		
	Total 165 acres		
	·		
7.	7. Use will begin about January 1 and end about December 31, of each year. Day and Month Day and Month		
8.			
	specifications of your diversion or storage works.) drill a well, install pump & mo	tor	
	to storage tank and pressure distribution system State manner in which water is to be diverted, whether by dam or other works, whether through pipes, ditches, flumes, or other condu	ilts.	

10. Estimated time required to construct works 2. YEALS 11. Estimated time required to complete the application to beneficial use 5. YEALS 12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use. a. Water under this application is proposed to serve a mobile home park of 500 units. b) This is a cross-file with application #32555. If no source is found under #32555 or if quantity is inadequate under #32555 then it is desired that the source proposed under this application be used as the sole source, or as a supplimentary source, to #12555. In no case are the two applications intended to be additive. The total quantity obserproperlated will not exceed 0.65 second feet. Use map filed under. #32555. Applicant s/ Harry J. Williams By. Compared 1p/ga DENIAL OF STATE ENGINEER DENY This is to certify that I have examined the foregoing application, and do hereby@graw the same, subject to the following limitations and conditions: Application 32662 is herewith denied on the grounds that the appropriation of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
12. Remarks: For use other than irrigation or stock watering, state number and type of units to be served or annual consumptive use. a) Water under this application is proposed to serve a mobile home park of 500 units. b) This is a cross-file with application #32555. If no source is found under #32555 or if quantity is inadequate under #32555 then it is desired that the source proposed under this application be used as the sole source or as a supplementary source in #32555. In no case are the two applications intended to be additive. The total quantity obspropriated will not exceed 0.65 second feet. Use map filed under. #32555. Applicant. s/ Harry J. Williams. By Compared lp/ga DENIAL OF STATE ENGINEER DENY This is to certify that I have examined the foregoing application, and do herebyment the same, subject to the following limitations and conditions: Application 32662 is herewith denied on the grounds that the appropriation of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
a) Water under this application is proposed to serve a mobile home park of 500 units. b) This is a cross-file with application #32555. If no source is found under #32555 or if quantity is inadequate under #32555 then it is desired that the source proposed under this application be used as the sole source or as a supplementary source to #32555. In no case are the two applications intended to be additive. The total quantity obspropriated will not exceed 0.65 second feet. Use map filed under #32555. Applicant s/ Harry J. Williams By
park of 500 units. b) This is a cross-file with application #32555. If no source is found under #32555 or if quantity is inadequate under #32555 then it is desired that the source proposed under this application be used as the sole source or as a supplementary source to #32555. In no case are the two applications intended to be additive. The total quantity beappropriated will not exceed 0.65 second feet. Use map filed under. #32555. Applicant s/. Harry J. Williams By
By
DENIAL OF STATE ENGINEER DENY This is to certify that I have examined the foregoing application, and do hereby years the same, subject to the following limitations and conditions: Application 32662 is herewith denied on the grounds that the appropriation of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
DENIAL OF STATE ENGINEER DENY This is to certify that I have examined the foregoing application, and do hereby@rant the same, subject to the following limitations and conditions: Application 32662 is herewith denied on the grounds that the appropriation of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
This is to certify that I have examined the foregoing application, and do hereby werent the same, subject to the following limitations and conditions: Application 32662 is herewith denied on the grounds that the appropriation of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
This is to certify that I have examined the foregoing application, and do hereby the same, subject to the following limitations and conditions: Application 32662 is herewith denied on the grounds that the appropriation of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions: Application 32662 is herewith denied on the grounds that the appropriation of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
Application 32662 is herewith denied on the grounds that the appropriation of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
of additional water from this limited ground water resource would tend to impair the value of existing rights and would be detrimental to the public interest and welfare.
welfare.
The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and
not-to exceedcubic feet per second
· · · · · · · · · · · · · · · · · · ·
Actual construction work shall begin on or before
Proof of commencement of work shall be filed before
Work must be prosecuted with reasonable diligence and be completed on or before.
Proof of completion of work shall be filed before
Application of water to beneficial use shall be made on or before
Proof of the application of water to beneficial use shall be filed on or before
Map in support of proof of beneficial use shall be filed on or before
Commencement of work filed IN TESTIMONY WHEREOF, I ROLAND D. WESTERGARD
Completion of work filed. State Engineer of Nevada, have hereunto set my hand and the seal of Proof of beneficial use filed. my office, this 7th day of JUNE
Cultural map filed
Certificate No
County Recorder State Springer